According to EC No 1907/2006 as amended as at the date of this SDS

Helix HX5 15W-40

Version	Revision Date:	SDS Number:	Date of last issue: 04.07.2023
1.11	19.02.2024	800010033742	Print Date 20.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	: Helix HX5 15W-40
Product code	: 001H2258

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	Engine oil.	
Uses advised against	This product must not be used in applications other listed in Section 1 without first seeking the advice of plier.	

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier	 Petros Petropoulos AEBE Πέτρος Πετρόπουλος AEBE lera Odos 104 T.K: 104 GR- Athens
Telephone	: +30 210 3499500
Telefax	:
Contact for Safety Data Sheet	: lubricants@petropoulos.com

1.4 Emergency telephone number

: +302107793777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Based on available data this substance / mixture does not meet the classification criteria.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Safety data sheet available on request.

Hazard pictograms Signal word		No Hazard Symbol required No signal word
Hazard statements	:	PHYSICAL HAZARDS:

According to EC No 1907/2006 as amended as at the date of this SDS

Helix HX5 15W-40

Version 1.11	Revision Date: 19.02.2024	SDS Number: 800010033742	Date of last issue: 04.07.2023 Print Date 20.02.2024
		criteria. HEALTH Not class ENVIROI	ified as a physical hazard according to CLP HAZARDS: ified as a health hazard under CLP criteria. NMENTAL HAZARDS: ified as environmental hazard according to
Precau	itionary statements	: Prevention: No preca	utionary phrases.
		Response:	
		-	utionary phrases.
		Storage:	
		No preca	utionary phrases.
		Disposal:	
		No preca	utionary phrases.

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Used oil may contain harmful impurities.

Not classified as flammable but will burn.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	 Highly refined mineral oils and additives. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346. Classification based on DMSO extract content < 3% (Regula- tion (EC) 1272/2008, Annex VI, Part 3, Note L). 	1
	* contains one or more of the following CAS-numbers (REACH registration numbers): 64742-53-6 (01-2119480375- 34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01- 2119487077-29), 64742-56-9 (01-2119480132-48), 64742-65 0 (01-2119471299-27), 68037-01-4 (01-2119486452-34),	

According to EC No 1907/2006 as amended as at the date of this SDS

Helix HX5 15W-40

Version	Revision Date:	SDS Number:	Date of last issue: 04.07.2023
1.11	19.02.2024	800010033742	Print Date 20.02.2024
	l l		-2119474878-16), 72623-87-1 (01- 3) 8042-47-5 (01-2119487078-27) 848301-6

2119474889-13), 8042-47-5 (01-2119487078-27), 848301-69-9 (01-000020163-82), 68649-12-7 (01-2119527646-33), 151006-60-9 (01-2119523580-47), 163149-28-8 (01-2119543695-30), 64741-88-4 (01-2119488706-23), 64741-89-5 (01-2119487067-30).

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		. ,
	Registration number		
Interchangeable low viscosity	Not Assigned	Asp. Tox. 1; H304	0 - 90
base oil (<20,5 cSt @40°C) *			
Zinc dialkyldithiophosphate	28629-66-5	Skin Irrit. 2; H315	0 - 1,99
	249-109-7	Eye Dam. 1; H318	
		Aquatic Chronic 2;	
		H411	
		specific concentration	
		limit	
		Eye Dam. 1; H318	
		15 %	
		Skin Irrit. 2	
		2 %	

Sulphurised calcium phenate	Not Assigned 701-251-5 01-2119524004-56	Aquatic Chronic 4; H413	0 - 5
Zinc dialkyl dithiophosphate	84605-29-8 283-392-8	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 2; H411 specific concentration limit Eye Dam. 1; H318 12,5 % Skin Irrit. 2; H315 6,25 % Eye Irrit. 2; H319 10 % Skin Irrit. 3 2 %	0 - 1,99

For explanation of abbreviations see section 16.

According to EC No 1907/2006 as amended as at the date of this SDS

Helix HX5 15W-40

Version	Revision Date:
1.11	19.02.2024

SDS Number:Date of last issue: 04.07.2023800010033742Print Date 20.02.2024

SECTION 4: First aid measures

4.1 Description of first aid measures			
Protection of first-aiders	: When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.		
If inhaled	: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.		
In case of skin contact	: Remove contaminated clothing. Flush exposed area with wa- ter and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.		
In case of eye contact	 Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention. 		
If swallowed	: In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.		
4.2 Most important symptoms and effects, both acute and delayed			
Symptoms	: Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.		
4.3 Indication of any immediate medical attention and special treatment needed			
Treatment	: Notes to doctor/physician: Treat symptomatically.		
SECTION 5: Firefighting measures			

5.1 Extinguishing media

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon diox- ide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.

5.2 Special hazards arising from the substance or mixture

Sp	ecific hazards during fire-	:	Hazardous combustion products may include:
fig	hting		A complex mixture of airborne solid and liquid particulates and gases (smoke).
			0 ()
			Carbon monoxide may be evolved if incomplete combustion
			OCCUIS.
			Unidentified organic and inorganic compounds.

According to EC No 1907/2006 as amended as at the date of this SDS

Helix HX5 15W-40

Version	Revision Date:	SDS Number:	Date of last issue: 04.07.2023
1.11	19.02.2024	800010033742	Print Date 20.02.2024

5.3 Advice for firefighters

Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	6.1.1 For non emergency personnel:Avoid contact with skin and eyes.6.1.2 For emergency responders:Avoid contact with skin and eyes.

6.2 Environmental precautions

Environmental precautions	:	Use appropriate containment to avoid environmental contami- nation. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
		Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	s :	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols.
		Use the information in this data sheet as input to a risk as- sessment of local circumstances to help determine appropri-

According to EC No 1907/2006 as amended as at the date of this SDS

Helix HX5 15W-40

Version 1.11	Revision Date: 19.02.2024	SDS Number: 800010033742	Date of last issue: 04.07.2023 Print Date 20.02.2024
		ate controls fo material.	r safe handling, storage and disposal of this
Advic	e on safe handling	Avoid inhaling When handlin worn and prop Properly dispo	ed or repeated contact with skin. vapour and/or mists. g product in drums, safety footwear should be per handling equipment should be used. use of any contaminated rags or cleaning mate- o prevent fires.
Produ	ict Transfer		ling and bonding procedures should be used transfer operations to avoid static accumulation.
7.2 Condi	tions for safe storage,	including any inc	ompatibilities
	er information on stor- tability	place. Use properly l	er tightly closed and in a cool, well-ventilated abeled and closable containers.
Packa	aging material	ering the pack : Suitable mate	on 15 for any additional specific legislation cov- aging and storage of this product. rial: For containers or container linings, use mild ensity polyethylene. aterial: PVC.
Conta	iner Advice		containers should not be exposed to high tem- ause of possible risk of distortion.
7.3 Specif	ic end use(s)		
-	fic use(s)	: Not applicable	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Oil mist, mineral	Not As- signed	TWA (Mist)	5 mg/m3	GR OEL
Oil mist, mineral		TWA (inhalable fraction)	5 mg/m3	US. ACGIH Threshold Limit Values
Oil mist, mineral		TWA (Mist)	5 mg/m3	GB EH40

Biological occupational exposure limits

No biological limit allocated.

According to EC No 1907/2006 as amended as at the date of this SDS

Helix HX5 15W-40

Version	Revision Date:	SDS Number:	Date of last issue: 04.07.2023
1.11	19.02.2024	800010033742	Print Date 20.02.2024

8.2 Exposure controls

Engineering measures

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection :	If material is handled such that it could be splashed into eyes, protective eyewear is recommended. Approved to EU Standard EN166.
Hand protection	
Remarks :	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with break-through time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For

According to EC No 1907/2006 as amended as at the date of this SDS

Helix HX5 15W-40

Version 1.11	Revision Date: 19.02.2024	SDS Number: 800010033742	Date of last issue: 04.07.2023 Print Date 20.02.2024
		recognize that may not be ava time maybe ac and replaceme a good predicto dependent on Glove thicknes	ash protection we recommend the same but suitable gloves offering this level of protection ailable and in this case a lower breakthrough ceptable so long as appropriate maintenance ant regimes are followed. Glove thickness is not or of glove resistance to a chemical as it is the exact composition of the glove material. s should be typically greater than 0.35 mm the glove make and model.
Skin and body protection		work clothes.	is not ordinarily required beyond standard ice to wear chemical resistant gloves.
Respiratory protection		No respiratory conditions of us In accordance tions should be If engineering of tions to a level select respirato cific conditions Check with res Where air-filter priate combina Select a filter s and vapours [T	protection is ordinarily required under normal

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	Liquid at room temperature.
Colour	:	amber
Odour	:	Data not available
Odour Threshold	:	Data not available
pour point	:	-45 °C Method: ASTM D97
Melting / freezing point		Data not available
Initial boiling point and boiling range	:	> 280 °Cestimated value(s)
Flammability		
Flammability (solid, gas)	:	Not applicable

According to EC No 1907/2006 as amended as at the date of this SDS

Helix HX5 15W-40

Version 1.11	Revision Date: 19.02.2024		S Number: 0010033742	Date of last issue: 04.07.2023 Print Date 20.02.2024
	Flammability (liquids)	:	Not classified as	flammable but will burn.
Lov	ver explosion limit and upp	er ex	xplosion limit / flan	nmability limit
	Upper explosion limit / upper flammability limit	:	Typical 10 %(V)	
	Lower explosion limit / Lower flammability limit	:	Typical 1 %(V)	
Fla	sh point	:	241 °C Method: ASTM [092 (COC)
Aut	o-ignition temperature	:	> 320 °C	
	composition temperature Decomposition tempera- ture	:	Data not availabl	e
рН		:	Not applicable	
	cosity Viscosity, dynamic	:	Data not availabl	e
	Viscosity, kinematic	:	14,27 mm2/s (10 Method: ASTM [
			106 mm2/s (40,0 Method: ASTM [
	ubility(ies) Water solubility	:	negligible	
	Solubility in other solvents	:	Data not availabl	e
	tition coefficient: n- anol/water	:		ation on similar products)
Vap	oour pressure	:	< 0,5 Pa (20 °C) estimated value(s)
Rel	ative density	:	0,8658 (15,0 °C)	
Der	nsity	:	865,8 kg/m3 (15, Method: ASTM [
Rel	ative vapour density	:	> 5	
	ticle characteristics Particle size	:	Data not availabl	e

According to EC No 1907/2006 as amended as at the date of this SDS

Helix HX5 15W-40

Version 1.11	Revision Date: 19.02.2024	SDS Number: 800010033742	Date of last issue: 04.07.2023 Print Date 20.02.2024	
•	information osive properties	: Classificatior	n Code: Not classified	
Oxidizing properties		: Data not available		
Flammability (liquids)		: Not classified	d as flammable but will burn.	
Evap	oration rate	: Data not ava	ilable	
Conc	luctivity	: This material	is not expected to be a static accumulator.	

SECTION 10: Stability and reactivity

10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

10.2 Chemical stability

Stable.

No hazardous reaction is expected when handled and stored according to provisions

10.3 Possibility of hazardous reactions

Hazardous reactions : Reacts with strong oxidising agents.

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : Strong oxidising agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

1

Acute toxicity

Product:

Acute oral toxicity

LD50 (rat): > 5.000 mg/kg Remarks: Low toxicity Based on available data, the classification criteria are not met.

According to EC No 1907/2006 as amended as at the date of this SDS

Helix HX5 15W-40

/ersion .11	Revision Date: 19.02.2024		DS Number: 0010033742	Date of last issue: 04.07.2023 Print Date 20.02.2024	
Acute	inhalation toxicity	:	Remarks: Based are not met.	on available data, the classification criteria	
Acute	Acute dermal toxicity		LD50 (Rabbit): > 5.000 mg/kg Remarks: Low toxicity Based on available data, the classification criteria are not r		
Skin c	orrosion/irritation				
<u>Produ</u> Remar		:	can clog the pore acne/folliculitis.	o skin. eated skin contact without proper cleaning s of the skin resulting in disorders such as oil le data, the classification criteria are not met.	
Seriou	ıs eye damage/eye irr	itati	ion		
<u>Produ</u> Remai		:	Slightly irritating t Based on availab	o the eye. le data, the classification criteria are not met.	
<u>Comp</u>	onents:				
Zinc d	ialkyldithiophosphate	e:			
Remai	ks	:	Based on availab	le data, the classification criteria are not met.	
Zinc d	ialkyl dithiophosphat	e:			
Remai	ks	:	Based on availab	le data, the classification criteria are not met.	
Respi	ratory or skin sensitis	satio	on		
<u>Produ</u> Remai		:	Not a sensitiser.	nd skin sensitisation: le data, the classification criteria are not met.	
Germ	cell mutagenicity				
<u>Produ</u>	<u>ct:</u>				
Genote	oxicity in vivo	:	Remarks: Non m Based on availab	utagenic le data, the classification criteria are not met.	
Germ sessm	cell mutagenicity- As- ent	:	This product does categories 1A/1B	s not meet the criteria for classification in	

According to EC No 1907/2006 as amended as at the date of this SDS

Helix HX5 15W-40

ersion 11	Revision Date: 19.02.2024	SDS Number: 800010033742	Date of last issue: 04.07.2023 Print Date 20.02.2024
Carci	nogenicity		
Prod	uct:		
Remarks		: Not a carcino Based on av	ogen. ailable data, the classification criteria are not met.
Remarks		carcinogenic Highly refine	ains mineral oils of types shown to be non- in animal skin-painting studies. d mineral oils are not classified as carcinogenic ational Agency for Research on Cancer (IARC).
Carci ment	nogenicity - Assess-	: This product categories 1.	does not meet the criteria for classification in A/1B.
Mato	rial		inogenicity Classification

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.

Reproductive toxicity

Product:		
Effects on fertility	:	Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.
Reproductive toxicity - As- sessment	:	This product does not meet the criteria for classification in categories 1A/1B.
STOT - single exposure		
Product:		
Remarks	:	Based on available data, the classification criteria are not met.
STOT - repeated exposure		
Product:		
Remarks	:	Based on available data, the classification criteria are not met.
Aspiration toxicity		
Product:		

Not an aspiration hazard., Based on available data, the classification criteria are not met.

According to EC No 1907/2006 as amended as at the date of this SDS

Helix HX5 15W-40

Version 1.11	Revision Date: 19.02.2024		9S Number: 0010033742	Date of last issue: 04.07.2023 Print Date 20.02.2024
11.2 Info	rmation on other haza	rds		
Ende	ocrine disrupting prop	perties	5	
Proc	luct:			
Asse	essment	:	ered to have end REACH Article 57	ixture does not contain components consid- ocrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.
Furt	her information			
Proc				
Rem	arks	:	lated during use. depend on use an environment on d	uld be handled with caution and skin contact
Rem	arks	:	Continuous conta cancer in animal	ict with used engine oils has caused skin tests.
Rem	arks	:	Slightly irritating t	o respiratory system.
Rem	arks	:	Classifications by frameworks may	other authorities under varying regulatory exist.
Rem	arks	:		otherwise, the data presented is representa- t as a whole, rather than for individual com-

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to algae/aquatic plants	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic:

According to EC No 1907/2006 as amended as at the date of this SDS

Helix HX5 15W-40

Versi 1.11	on	Revision Date: 19.02.2024		DS Number: 00010033742	Date of last issue: 04.07.2023 Print Date 20.02.2024
				LL/EL/IL50 > 100	mg/l
	Toxicity icity)	y to fish (Chronic tox-	:	Remarks: Based or met.	a available data, the classification criteria are not
á		y to daphnia and other invertebrates (Chron- ity)		Remarks: Based or met.	a available data, the classification criteria are not
- -	Toxicity	y to microorganisms	:	Remarks: Based or met.	a available data, the classification criteria are not
12.2	Persis	tence and degradabil	ity		
-	Produc Biodeg	<u>et:</u> radability	:	ponents that may p Persistent per IMO International Oil Pe "A non-persistent of of hydrocarbon fra- distills at a tempera which, by volume,	are inherently biodegradable, but contains com- ersist in the environment.
12.3	Bioaco	cumulative potential			
-	Produc Bioacc	<u>et:</u> umulation	:	Remarks: Contains	components with the potential to bioaccumulate.
12.4	Mobili	ty in soil			
-	Produc Mobility		:		under most environmental conditions., If it adsorb to soil particles and will not be mo-
				Remarks: Floats	on water.
12.5	Result	s of PBT and vPvB as	sse	ssment	
_	Produc				
	Assess	sment	:		s not contain any REACH registered sub- assessed to be a PBT or a vPvB

According to EC No 1907/2006 as amended as at the date of this SDS

Helix HX5 15W-40

Version 1.11	Revision Date: 19.02.2024	SDS Number: 800010033742	Date of last issue: 04.07.2023 Print Date 20.02.2024
12.6 Endo	ocrine disrupting pro	perties	
Prod	uct:		
Asse	ssment	have endocrine of 57(f) or Commis	hixture does not contain components considered to disrupting properties according to REACH Article ssion Delegated regulation (EU) 2017/2100 or gulation (EU) 2018/605 at levels of 0.1% or higher
12.7 Othe	r adverse effects		
Prod	uct:		
Additional ecological infor- mation		tion potential or Product is a mix	zone depletion potential, photochemical ozone crea global warming potential. ture of non-volatile components, which will not be any significant quantities under normal conditions
		Poorly soluble n Causes physical	nixture. fouling of aquatic organisms.
		Mineral oil does concentrations le	not cause chronic toxicity to aquatic organisms at ess than 1 mg/l.
			otherwise, the data presented is representative of whole, rather than for individual component(s).

13.1 Waste treatment methods

Product :	Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal meth- ods in compliance with applicable regulations. Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Do not dispose into the environment, in drains or in water courses. Do not dispose of tank water bottoms by allowing them to drain into the ground. This will result in soil and groundwater contamination. Waste arising from a spillage or tank cleaning should be dis- posed of in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand. MARPOL - see International Convention for the Prevention of Pollution from Ships (MARPOL 73/78) which provides tech- point.
	nical aspects at controlling pollutions from ships.

According to EC No 1907/2006 as amended as at the date of this SDS

Helix HX5 15W-40

Version 1.11	Revision Date: 19.02.2024	SDS Number: 800010033742	Date of last issue: 04.07.2023 Print Date 20.02.2024		
Contaminated packaging		to a recognize the collector o Disposal sho	Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.		
Loca	legislation				
Waste catalogue		: EU Waste Dis	sposal Code (EWC):		
Wast	e Code	: 13 02 05*	13 02 05*		
Rema	arks	: Classification user.	of waste is always the responsibility of the end		
			uld be in accordance with applicable regional, local laws and regulations.		

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good

According to EC No 1907/2006 as amended as at the date of this SDS

Helix HX5 15W-40

Version 1.11	Revision Date: 19.02.2024		DS Number: 00010033742	Date of last issue: 04.07.2023 Print Date 20.02.2024	
IMDG IATA 14.5 Environmental hazards		:	Not regulated as a Not regulated as a	a dangerous good a dangerous good	
ADR		:	Not regulated as	a dangerous good	
RID		:	Not regulated as a dangerous good		
IMDG		:	Not regulated as a dangerous good		
14.6 Special precautions for user					
Remar	ks	:	for special precau	ns: Refer to Section 7, Handling & Storage, tions which a user needs to be aware of or with in connection with transport.	

14.7 Maritime transport in bulk according to IMO instruments

MARPOL Annex 1 rules apply for bulk shipments by sea.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Product is not subject to Authorisa- tion under REACH.

Volatile organic compounds : Volatile organic compounds (VOC) content: 0 %

Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

The components of this product are reported in the following inventories:				
REACH	: Not established.			
TSCA	: All components listed.			

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

According to EC No 1907/2006 as amended as at the date of this SDS

Helix HX5 15W-40

Version	Revision Date:	SDS Number:	Date of last issue: 04.07.2023
1.11	19.02.2024	800010033742	Print Date 20.02.2024

SECTION 16: Other information

Full text of H-Statements

H304	:	May be fatal if swallowed and enters airways.	
H315	:	Causes skin irritation.	
H318	:	Causes serious eye damage.	
H411	:	Toxic to aquatic life with long lasting effects.	
H413	:	May cause long lasting harmful effects to aquatic life.	
Full text of other abbreviation	ons		
Aquatic Chronic	:	Long-term (chronic) aquatic hazard	
Asp. Tox.	:	Aspiration hazard	
Eye Dam.	:	Serious eye damage	
Skin Irrit.	:	Skin irritation	
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits	
GR OEL	:	Greece. Exposure limit values	
GB EH40 / TWA	:	Time weighted average	
GR OEL / TWA	:	Long term exposure limit	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

According to EC No 1907/2006 as amended as at the date of this SDS

Helix HX5 15W-40

Version 1.11	n Revision Date: 19.02.2024		DS Number: 0010033742	Date of last issue: 04.07.2023 Print Date 20.02.2024		
Fu	urther information					
Training advice		:	Provide adequate information, instruction and training for op- erators.			
Other information		:	No Exposure Scenario annex is attached to this safety data sheet. It is a non-classified mixture containing hazardous sub- stances as detailed in Section 3; relevant information from Exposure Scenarios for the hazardous substances contained have been integrated into the core sections 1-16 of this SDS.			
			A vertical bar () i from the previous	n the left margin indicates an amendment version.		
cc	ources of key data use ompile the Safety Data heet		sources of inform Health Services,	are from, but not limited to, one or more ation (e.g. toxicological data from Shell material suppliers' data, CONCAWE, EU e, EC 1272 regulation, etc).		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GR / EN